

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)			g/t	g/t	g/t
SCR-001	Japoneses		0	10.67	10.67	0.234	2	0.26
		and	19.81	24.38	4.57	0.438	2	0.468
		and	27.43	32	4.57	0.251	3	0.292
		and	36.58	45.72	9.14	0.482	0.4	0.488
		and	62.48	64.01	1.52	0.212	0.5	0.219
		and	70.1	71.63	1.52	0.185	0.8	0.196
SCR-002	Japoneses		0	27.43	27.43	0.594	7	0.692
		and	38.1	45.72	7.62	0.574	4	0.632
SCR-003	Japoneses		0	1.52	1.52	0.234	3	0.271
		and	4.57	35.05	30.48	0.505	8	0.621
		and	45.72	50.29	4.57	0.283	1	0.294
		and	54.86	56.39	1.53	0.487	3	0.528
SCR-004	Japoneses		0	39.62	39.62	0.884	9	1.007
		includes	3.05	9.14	6.09	2.881	20	3.164
		and	42.67	45.72	3.05	0.18	4	0.235
SCR-005	Japoneses		1.52	12.19	10.67	0.691	21	0.987
		and	18.29	28.96	10.67	0.601	1	0.619
		and	36.58	39.62	3.04	0.28	2	0.311
		and	45.72	50.29	4.57	0.239	1	0.258
SCR-006	Japoneses		0	10.67	10.67	1.245	21	1.54
		includes	0	6.1	6.1	1.962	26	2.34
		and	18.29	35.05	16.76	0.422	2	0.453
		and	38.1	51.82	13.72	0.827	8	0.935
SCR-007	Japoneses		0	27.43	27.43	0.278	9	0.41
		and	32	54.86	22.86	0.902	13	1.09
		includes	33.53	38.1	4.57	2.256	20	2.54
		and	60.96	68.58	7.62	0.26	3	0.309
		and	71.63	73.15	1.52	0.539	2	0.572
		and	76.2	77.72	1.52	1.825	4	1.886
		and	83.82	85.34	1.52	0.319	0.3	0.323
		and	99.06	102.11	3.05	0.197	4	0.261
		and	160.02	161.55	1.52	0.202	0.5	0.209
		and	164.59	166.12	1.52	0.735	0.5	0.742
		and	196.6	213.36	16.76	0.241	1	0.257
		and	216.41	219.46	3.05	0.142	1	0.153
SCR-008	Japoneses		0	36.58	36.58	0.537	4	0.598
		and	39.62	44.2	4.58	0.422	10	0.568
		and	51.82	57.91	6.09	0.318	7	0.417
		and	73.15	74.68	1.52	0.171	0.8	0.182
		and	77.72	79.25	1.52	0.281	3	0.321
		and	82.3	85.34	3.05	0.459	1	0.471
		and	94.49	97.54	3.05	0.184	1	0.201
SCR-008.b	Japoneses		0	19.81	19.81	0.63	3	0.674
		and	22.86	24.38	1.52	0.753	2	0.783
		and	27.43	28.96	1.53	0.673	3	0.717

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-009	Japoneses		3.05	27.43	24.38	0.328	3	0.37
		and	36.58	45.72	9.14	0.168	3	0.213
		and	108.2	109.73	1.52	0.336	1	0.359
		and	112.78	114.3	1.52	0.215	0.3	0.219
SCR-010	Japoneses		0	1.52	1.52	0.374	0.6	0.383
		and	6.1	15.24	9.14	0.713	10	0.852
		and	18.29	36.58	18.29	0.255	2	0.281
		and	42.67	44.2	1.53	0.178	0.8	0.189
		and	56.39	57.91	1.52	0.72	1	0.74
		and	80.77	82.3	1.52	0.406	0.3	0.41
SCR-011	Japoneses		0	7.62	7.62	0.379	3	0.421
		and	10.67	12.19	1.52	0.198	0.9	0.211
		and	21.34	24.38	3.04	0.934	5	0.985
		and	32	33.53	1.53	0.243	4	0.294
		and	39.62	73.15	33.53	0.565	6	0.653
		includes	59.44	64.01	4.57	1.953	19	2.228
		and	86.87	88.39	1.52	0.334	0.5	0.341
SCR-012	Japoneses		0	3.05	3.05	0.185	2	0.207
		and	6.1	7.62	1.52	0.201	0.7	0.211
		and	13.72	27.43	13.71	0.352	2	0.381
		and	36.58	50.29	13.71	0.203	3	0.239
		and	54.86	67.06	12.2	0.351	6	0.44
		and	74.68	76.2	1.52	0.476	2	0.51
		and	79.25	91.44	12.19	0.225	1	0.245
SCR-013	Japoneses		3.05	6.1	3.05	0.311	1	0.321
		and	9.14	10.67	1.53	0.231	0.8	0.242
		and	18.29	28.96	10.67	0.501	5	0.568
		and	35.05	41.15	6.1	0.294	1	0.313
SCR-014	Cuervos		0	1.52	1.52	0.15	1.7	0.174
		and	4.57	6.1	1.53	0.157	2.1	0.187
		and	9.14	12.19	3.05	0.183	1	0.196
		and	15.24	16.76	1.52	0.21	2.4	0.244
		and	21.34	42.67	21.33	0.441	4	0.491
SCR-015	Cuervos		9.14	13.72	4.58	0.179	1	0.187
		and	19.81	30.48	10.67	0.507	1	0.518
		and	33.53	53.34	19.81	0.346	2	0.373
		and	56.39	62.48	6.09	0.162	1	0.175
SCR-016	Cuervos		0	1.52	1.52	0.286	2.1	0.316
		and	4.57	6.1	1.52	0.279	1.4	0.299
		and	9.14	10.67	1.53	0.376	0.8	0.387
		and	13.72	16.76	3.04	0.285	2	0.312
		and	30.48	32	1.52	0.588	1	0.602
		and	38.1	44.2	6.1	0.542	7	0.637

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-017	Abejas		64.01	71.63	7.62	0.325	12	0.499
		and	76.2	85.34	9.14	0.476	10	0.614
SCR-018	Abejas		73.15	80.77	7.62	0.307	4	0.365
		and	94.49	96.01	1.52	0.231	0.8	0.242
SCR-019	Abejas		27.43	47.24	19.81	0.521	7	0.621
		includes	27.43	30.48	3.05	1.787	16	2.019
		and	62.48	64.01	1.52	0.269	11.3	0.43
SCR-020	Cuervos		35.05	39.62	4.57	0.539	1	0.548
		and	57.91	59.44	1.53	0.151	0.03	0.155
		and	60.96	62.48	1.52	0.254	0.09	0.267
		and	68.58	70.1	1.52	1.48	2.3	1.513
SCR-021	Cuervos		0	32	32	0.553	11	0.706
		includes	4.57	6.1	1.53	2.31	17.4	2.559
			24.38	27.43	3.05	2.13	65	3.055
		and	44.2	47.24	3.04	0.172	1	0.191
		and	54.86	56.39	1.53	0.486	4	0.543
		and	60.96	64.01	3.05	0.497	2	0.532
		and	67.06	68.58	1.52	0.201	5.2	0.275
		and	88.39	91.44	3.05	0.243	1	0.258
		and	132.59	134.11	1.52	0.167	2.2	0.198
		and	144.78	146.31	1.52	0.192	1.2	0.209
SCR-022	Abejas		25.91	39.62	13.71	0.754	14	0.958
		includes	30.48	33.53	3.05	1.84	39	2.401
		and	42.67	48.77	6.1	0.179	2	0.208
		and	60.96	82.3	21.34	0.198	3	0.237
		and	89.92	100.58	10.67	0.491	3	0.533
SCR-023	Cabeza Blanca		19.8	21.3	1.5	0.173	1.1	0.189
		and	24.4	27.4	3.05	0.232	3	0.282
		and	41.2	50.3	9.14	0.535	22	0.855
SCR-024	Cabeza Blanca		3.05	4.57	1.52	0.243	3.6	0.294
		and	9.14	13.72	4.58	0.346	1	0.358
		and	42.67	56.39	13.72	0.685	8	0.805
		includes	48.77	53.34	4.57	1.364	16	1.599
SCR-025	Cabeza Blanca		3.05	4.57	1.52	0.179	1.2	0.196
		and	24.38	25.91	1.53	0.151	0.07	0.161
		and	32	45.72	13.72	0.684	11	0.837
		includes	33.53	38.1	4.57	1.478	24	1.821
SCR-026	Cabeza Blanca		3.05	4.57	1.52	0.167	0.3	0.171
		and	33.53	36.58	3.05	0.178	0.3	0.182
		and	89.92	91.44	1.52	0.731	11	0.888
		and	97.54	105.16	7.62	0.327	6	0.416
		and	121.92	123.44	1.52	0.323	0.3	0.327
		and	143.26	144.8	1.52	0.153	1	0.167
		and	152.4	153.93	1.52	0.16	0.5	0.167

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-027	Cabeza Blanca		0	3.05	3.05	0.26	2	0.283
		and	6.1	7.62	1.52	0.186	2	0.215
		and	74.68	79.25	4.57	0.149	1	0.16
		and	138.69	152.4	13.72	0.538	4	0.595
SCR-028	Cabeza Blanca		10.67	21.34	10.67	0.196	1	0.215
		and	24.38	25.91	1.53	0.264	0.8	0.275
		and	38.1	44.2	6.1	0.216	2	0.239
		and	57.91	62.48	4.57	1.224	5	1.29
SCR-029	Abejas		12.19	22.86	10.67	0.27	5	0.335
		and	30.48	39.62	9.14	0.861	6	0.953
		includes	33.53	35.05	1.52	2.02	5.8	2.103
		and	47.24	62.48	15.24	0.718	4	0.769
		includes	48.77	50.29	1.52	2.41	2.8	2.45
		includes	53.34	54.86	1.52	2.64	9.5	2.776
SCR-030	Guadalupe		50.29	73.15	22.86	0.725	3	0.771
		includes	50.29	60.96	10.67	1.256	3	1.302
		or	50.29	51.82	1.53	5.2	1.3	5.219
		and	79.25	82.3	3.05	0.396	2	0.43
		and	85.34	86.87	1.52	0.205	1.4	0.225
SCR-031	Cabeza Blanca		1.52	3.05	1.53	2.18	0.7	2.19
		and	10.67	12.19	1.52	0.198	0.25	0.202
		and	28.96	35.05	6.09	0.464	3	0.508
		and	38.1	39.62	1.52	0.215	0.7	0.225
		and	51.82	54.86	3.04	0.288	1	0.3
		and	67.06	68.58	1.52	0.247	0.25	0.251
		and	73.15	77.72	4.57	0.548	0.5	0.555
		and	86.87	88.39	1.52	0.221	0.25	0.225
SCR-032	Cabeza Blanca		12.19	13.72	1.53	0.29	3	0.333
		and	22.86	27.43	4.57	2.304	15.3	2.522
		and	32	36.58	4.58	0.511	0.9	0.524
		and	41.15	42.67	1.52	0.259	0.7	0.269
SCR-033	Cabeza Blanca		4.57	16.76	12.19	0.824	8.5	0.945
		includes	12.19	16.76	4.57	1.139	19.2	1.413
SCR-034	Cabeza Blanca		25.91	28.96	3.05	1.657	5	1.726
		and	41.15	45.72	4.57	0.35	6.2	0.438
		and	73.15	74.68	1.52	0.17	6.8	0.267
SCR-035	Cabeza Blanca		32	33.53	1.53	0.281	0.6	0.29
		and	77.72	80.77	3.05	0.316	2	0.34
SCR-036	El Colorado		6.1	10.67	4.57	4.666	1.9	4.693
		and	13.72	15.24	1.52	1.24	2.4	1.274
		and	25.91	30.48	4.57	0.413	1	0.428
		and	35.05	38.1	3.05	0.337	1	0.352
		and	97.54	99.06	1.52	0.31	1.7	0.334
		and	112.78	114.3	1.52	0.234	0.5	0.241

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)			g/t	g/t	g/t
SCR-037	El Colorado		6.1	21.34	15.24	0.599	6.9	0.698
		includes	9.14	15.24	6.1	1.035	7.5	1.142
		and	59.44	60.96	1.52	0.218	3.4	0.267
		and	64.01	65.53	1.52	0.238	3.7	0.291
		and	67.06	68.58	1.52	0.222	7.7	0.332
		and	79.25	80.77	1.52	0.225	2.3	0.258
		and	102.11	106.68	4.57	0.317	1.5	0.338
		and	146.3	149.35	3.05	0.172	1	0.188
		and	164.59	166.12	1.53	0.158	0.5	0.165
SCR-038	El Quince		16.76	18.29	1.53	0.307	1.1	0.323
		and	30.48	38.1	7.62	0.269	2.9	0.31
		and	48.7	50.29	1.52	0.2	1.9	0.227
		and	54.86	64.01	9.15	0.172	0.8	0.183
		and	67.06	68.58	1.52	0.184	0.25	0.188
		and	71.63	73.15	1.52	0.204	0.9	0.217
SCR-039	El Colorado		22.86	24.38	1.52	0.318	0.9	0.331
		and	33.53	36.58	3.05	0.263	1	0.278
		and	42.67	44.2	1.53	0.18	0.9	0.193
		and	67.06	68.58	1.52	0.807	0.25	0.811
		and	117.35	120.4	3.05	0.377	2	0.399
		and	123.44	128.02	4.58	0.408	1	0.422
		and	131.06	135.64	4.58	0.235	0.7	0.245
		and	141.73	143.26	1.53	0.167	1.1	0.183
		and	150.88	153.92	3.05	0.593	4	0.655
		and	156.97	158.5	1.53	0.178	2.8	0.218
SCR-040	Cabeza Blanca		22.86	24.38	1.52	0.391	0.25	0.395
		and	45.72	50.29	4.57	0.235	3.3	0.282
		and	70.1	71.63	1.53	0.301	3.5	0.351
SCR-041	Cabeza Blanca		0	4.57	4.57	0.181	0.4	0.187
		and	13.72	38.1	24.38	0.423	6.5	0.516
		includes	21.34	24.38	3.04	1.539	6.1	1.626
			41.15	42.67	1.52	0.497	2.6	0.534
SCR-042	Cabeza Blanca		4.57	7.62	3.05	2.197	1	2.199
		and	16.76	18.29	1.53	0.323	1.1	0.339
		and	35.05	36.58	1.53	0.329	0.8	0.34
		and	48.77	50.29	1.52	0.169	0.25	0.173
		and	51.82	53.34	1.52	0.168	2.7	0.207
		and	57.91	59.44	1.53	0.487	2.9	0.528
		and	64.01	67.06	3.05	1.185	4	1.241
SCR-043	San Quintin		28.96	30.48	1.52	0.242	9.1	0.372
		and	32	33.53	1.53	0.163	4	0.22
		and	44.2	47.24	3.04	0.585	14	0.784

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)			g/t	g/t	g/t
SCR-044	El Colorado		13.72	16.76	3.04	0.575	4	0.636
		and	24.38	28.96	4.58	0.511	4	0.569
		and	36.58	38.1	1.52	0.194	3.1	0.238
		and	48.77	60.96	12.19	11.218	5.9	11.302
		includes	51.82	57.91	6.09	21.581	8.2	21.699
		and	85.34	92.96	7.62	2.067	15.7	2.292
		includes	86.87	91.44	4.57	3.151	23.2	3.482
SCR-045	El Colorado		15.24	21.34	6.1	0.759	2.8	0.799
		and	41.15	45.72	4.57	0.343	4.3	0.404
		and	56.39	71.63	15.24	0.992	4.1	1.052
		includes	64.01	71.63	7.62	1.767	6.7	1.862
SCR-046	El Colorado		0	1.52	1.52	0.273	2.1	0.303
		and	24.38	25.91	1.53	0.427	37.3	0.96
		and	33.53	39.62	6.09	0.358	5.2	0.432
		and	59.44	60.96	1.52	0.185	4	0.242
		and	64.01	67.06	3.05	0.186	1	0.201
		and	89.92	91.44	1.52	0.271	0.6	0.28
SCR-047	El Rincon		1.52	3.05	1.53	0.368	0.25	0.372
		and	30.48	33.53	3.05	0.173	1.5	0.195
		and	48.77	50.29	1.52	0.213	0.8	0.224
		and	53.34	64.01	10.67	0.714	2.1	0.744
		includes	53.34	57.91	4.57	1.255	2.5	1.291
		and	83.82	89.92	6.1	0.425	1.5	0.446
		and	92.96	94.49	1.53	0.317	0.9	0.33
		and	99.06	105.16	6.1	0.229	0.6	0.237
		and	109.73	112.78	3.05	0.361	0.5	0.368
SCR-048	El Rincon		30.48	32	1.52	0.378	3.9	0.434
		and	94.49	96.01	1.52	0.643	0.5	0.65
SCR-049	El Rincon		30.48	32	1.52	0.206	0.7	0.216
		and	36.58	38.1	1.52	0.166	0.25	0.17
		and	47.24	48.77	1.53	1.635	17.7	1.888
		and	59.44	62.48	3.04	0.845	1.2	0.861
		and	83.82	85.34	1.52	0.303	0.25	0.307
SCR-050	Gloria		1.52	3.05	1.53	0.24	3.1	0.284
		and	6.1	9.14	3.04	0.361	1.2	0.378
		and	13.72	21.34	7.62	0.324	2.3	0.357
		and	32	33.53	1.53	0.157	1.5	0.178
		and	99.06	100.58	1.52	0.214	0.25	0.218
SCR-051	Gloria		4.57	6.1	1.53	0.19	1.8	0.216
		and	73.15	79.25	6.1	0.391	4.2	0.451
		and	111.25	114.3	3.05	0.185	0.9	0.198

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-052	Gloria		21.34	22.86	1.52	0.676	0.25	0.68
		and	51.82	53.34	1.52	0.195	0.25	0.199
		and	56.39	57.91	1.52	0.426	2.8	0.466
		and	86.87	88.39	1.52	0.229	0.9	0.242
		and	115.82	117.35	1.53	0.17	0.9	0.183
SCR-053	Gloria		39.62	42.67	3.05	0.642	3.6	0.694
		and	51.82	57.91	6.09	0.262	1.3	0.28
		and	65.53	67.06	1.53	0.159	0.5	0.166
		and	68.58	73.15	4.57	0.177	0.3	0.18
		and	91.44	92.96	1.52	0.751	0.25	0.755
		and	96.01	97.54	1.53	0.159	0.25	0.163
SCR-054	El boludito		13.72	16.76	3.04	0.435	26	0.806
		and	25.91	38.1	12.19	0.266	2.7	0.305
		and	41.15	44.2	3.05	0.263	7	0.364
		and	80.77	82.3	1.53	0.308	0.8	0.319
SCR-055	Buena Vista		13.72	16.76	3.04	0.164	5.9	0.248
		and	19.81	45.72	25.91	0.265	1.5	0.286
		and	50.29	57.91	7.62	0.249	2.1	0.28
		and	68.58	73.15	4.57	0.568	3.1	0.613
		and	115.82	117.35	1.53	0.159	1.2	0.176
		and	121.92	134.11	12.19	0.446	1.6	0.468
SCR-056	Veta De Oro		35.05	36.58	1.53	0.34	22.7	0.664
		and	67.06	76.2	9.14	1.755	23.7	2.094
		includes	68.58	71.63	3.05	4.666	57.3	5.484
		and	79.25	80.77	1.52	0.215	3.6	0.266
SCR-057	Veta De Oro		54.86	65.53	10.67	1.519	84.6	2.728
		includes	56.39	62.48	6.09	2.456	132.6	4.35
		and	68.58	76.2	7.62	0.373	2.9	0.415
		and	82.3	83.82	1.52	0.185	0.7	0.195
		and	86.87	88.39	1.52	0.552	1.6	0.575
SCR-058	Veta De Oro		56.39	64.01	7.62	0.447	2.7	0.486
		and	67.06	73.15	6.09	0.189	1.4	0.208
		and	77.72	79.25	1.53	1.415	1.4	1.435
		and	112.78	115.82	3.04	0.607	2.8	0.647
SCR-059	Chinos NW		22.86	24.38	1.52	0.242	6.9	0.341
		and	27.43	28.96	1.53	1.17	2.2	1.201
		and	41.15	51.82	10.67	0.459	2	0.488
		includes	45.72	48.77	3.05	1.007	2.1	1.037
		and	57.91	60.96	3.05	0.481	5.9	0.566
		and	71.63	73.15	1.52	0.715	1.4	0.735
SCR-060	Guadalupe		59.44	60.96	1.52	0.176	3.9	0.232

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)			g/t	g/t	g/t
SCR-061	Guadalupe		30.48	32	1.52	0.473	0.25	0.477
		and	36.58	51.82	15.24	0.519	2.8	0.559
		and	53.34	54.86	1.52	0.185	7.8	0.296
		and	73.15	76.2	3.05	0.168	1.6	0.191
		and	79.25	82.3	3.05	0.159	2.6	0.197
		and	91.44	97.54	6.1	0.426	2.8	0.466
SCR-062	Buena Suerte		1.52	12.19	10.67	0.714	24.5	1.064
		and	16.76	27.43	10.67	0.675	4.7	0.742
		and	39.62	44.2	4.58	0.277	1.9	0.305
		and	45.72	47.24	1.52	0.192	0.25	0.196
		and	74.68	76.2	1.52	0.226	1.7	0.25
		and	85.34	86.87	1.53	1.55	0.6	1.559
SCR-063	Buena Suerte		32	44.2	12.2	0.442	4.7	0.51
		and	50.29	57.91	7.62	0.227	4.8	0.295
		and	64.01	68.58	4.57	0.41	5.3	0.486
		and	71.63	74.68	3.05	0.206	2.9	0.247
		and	86.87	88.39	1.52	0.167	0.7	0.177
SCR-064	Japoneses		0	1.52	1.52	0.359	13.4	0.55
		and	6.1	10.67	4.57	0.384	22.1	0.7
		and	13.72	16.76	3.04	0.639	22.8	0.964
		and	24.38	27.43	3.05	0.242	3.7	0.296
		and	35.05	44.2	9.15	1.231	1.8	1.257
		includes	35.05	41.15	6.1	1.759	2.5	1.796
		and	45.72	47.24	1.52	0.168	0.25	0.172
		and	53.34	59.44	6.1	0.275	0.9	0.288
		and	143.26	144.78	1.52	0.198	2.6	0.235
SCR-065	Japoneses		1.52	28.96	27.44	0.819	9.2	0.95
		and	36.58	39.62	3.04	1.852	17.9	2.107
		and	42.67	44.2	1.53	0.215	5	0.286
		and	47.24	53.34	6.1	0.209	1.2	0.226
		and	59.44	64.01	4.57	0.231	0.7	0.241
		and	67.06	68.58	1.52	0.364	1.5	0.385
		and	76.2	77.72	1.52	0.212	2.9	0.253
		and	82.3	83.82	1.52	0.19	3.7	0.243
		and	86.87	88.39	1.52	0.151	1.6	0.174
		and	89.92	118.87	28.95	0.378	2.3	0.411
SCR-066	Chinos NW		1.52	124.97	1.53	0.203	2.8	0.243
		0	6.1	6.1		0.495	4.7	0.562
		and	10.67	12.19	1.52	0.243	1.4	0.263
		and	18.29	19.81	1.52	0.175	1.8	0.201
		and	24.38	30.48	6.1	0.503	1.4	0.522
		and	39.62	41.15	1.53	0.15	12.3	0.326
SCR-067	Chinos Altos		44.2	45.72	1.52	0.18	0.5	0.187
		9.14	13.72	4.58		0.258	0.7	0.269
		and	21.34	27.43	6.09	0.282	2.3	0.315

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-068	La Española		0	1.52	1.52	0.267	1.6	0.29
		and	15.24	18.29	3.05	6.131	3.4	6.179
		and	25.91	27.43	1.52	0.172	0	0.172
		and	36.58	42.67	6.09	0.192	1	0.207
		and	60.96	65.53	4.57	0.517	1.8	0.543
		and	83.82	92.96	9.14	1250	5.4	1.327
		and	94.49	96.01	1.52	0.257	3.3	0.304
		and	99.06	103.63	4.57	0.494	1.4	0.515
		and	108.2	109.73	1.53	0.211	0.6	0.22
SCR-069	Chinos Altos		3.05	4.57	1.52	0.179	0	0.179
		and	10.67	12.19	1.52	0.233	0.5	0.24
		and	18.29	19.81	1.52	0.17	1.1	0.186
		and	28.96	36.58	7.62	0.947	13.6	1.142
		and	50.29	51.82	1.53	0.189	0	0.189
SCR-070	Chinos Altos		18.29	21.34	3.05	0.193	0	0.193
		and	24.38	25.91	1.53	0.175	0.6	0.184
		and	36.58	38.1	1.52	0.178	5.5	0.257
		and	73.15	74.68	1.53	0.15	0.5	0.157
		and	76.2	77.72	1.52	0.8	11.1	0.959
		and	91.44	92.96	1.52	0.156	0	0.156
SCR-071	Chinos Altos		9.14	15.24	6.1	0.44	6.2	0.53
		and	38.1	39.62	1.52	0.153	0	0.153
		and	51.82	53.34	1.52	0.309	5	0.38
SCR-072	Japoneses		3.05	18.29	15.24	0.574	3	0.616
		and	22.86	30.48	7.62	0.316	1	0.33
		and	33.53	35.05	1.52	0.213	0.8	0.224
		and	42.67	45.72	3.05	0.214	0.5	0.222
		and	48.77	50.29	1.52	0.176	0.7	0.186
		and	53.34	54.86	1.52	0.179	0.8	0.19
		and	64.01	68.58	4.57	0.206	0.3	0.21
SCR-073	Japoneses		6.1	7.62	1.52	0.199	0.8	0.21
		and	28.96	30.48	1.52	0.181	0.8	0.192
		and	33.53	35.05	1.52	0.235	0.9	0.248
		and	38.1	39.62	1.52	0.177	0.5	0.184
		and	91.44	92.96	1.52	0.327	1	0.341
SCR-074	Japoneses		0	6.1	6.1	0.23	1.3	0.249
		and	9.14	24.38	15.24	0.337	2.8	0.377
		and	62.48	64.01	1.53	0.22	1.4	0.24
		and	120.4	137.16	16.76	0.268	2	0.297
		and	146.26	163.07	19.81	0.363	1.4	0.383
SCR-075	Japoneses		24.38	41.15	16.77	0.215	1.3	0.233
		and	53.34	57.91	4.57	0.345	0.8	0.356
		and	88.39	91.44	3.05	0.368	0.3	0.372
		and	94.49	96.01	1.52	0.154	0.25	0.158
		and	109.73	111.25	1.52	0.153	2.5	0.189

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)			g/t	g/t	g/t
SCR-076	Japoneses		9.14	30.48	21.34	0.311	6.3	0.401
		and	39.62	44.2	4.58	0.643	1.9	0.67
		and	47.24	48.77	1.53	0.183	2.6	0.22
		and	51.82	56.39	4.57	0.535	4.1	0.594
		and	67.06	68.58	1.52	0.205	2	0.234
		and	77.72	79.25	1.53	0.18	1.7	0.204
		and	83.82	85.34	1.52	0.167	1.7	0.191
		and	108.2	114.3	6.1	0.614	1.7	0.638
		and	117.35	118.87	1.52	0.165	1.1	0.181
SCR-077	Chinos NW		10.67	13.72	3.05	0.185	3	0.228
		and	18.29	22.86	4.57	0.346	3.6	0.397
		and	77.72	79.25	1.53	0.429	0.9	0.442
SCR-078	Chinos NW		0	24.38	24.38	0.344	8.2	0.461
SCR-079	Chinos NW		10.67	12.19	1.52	0.185	7.3	0.289
		and	16.76	22.86	6.1	0.311	7.5	0.418
		and	27.43	39.62	12.19	0.442	3.6	0.494
		and	44.2	45.72	1.52	0.209	0.6	0.218
		and	51.82	54.86	3.04	0.292	1	0.305
		and	57.91	59.44	1.53	0.237	0.9	0.25
		and	65.53	70.1	4.57	0.21	1.7	0.234
SCR-080	Chinos NW		1.52	4.57	3.05	0.221	3	0.264
		and	9.14	16.76	7.62	0.355	6.1	0.443
		and	19.81	22.86	3.05	0.197	0.9	0.21
		and	41.15	42.67	1.52	0.794	1.1	0.81
SCR-081	Japoneses		4.57	13.72	9.15	0.319	3.7	0.371
		and	42.67	44.2	1.53	0.706	0.7	0.716
		and	56.39	60.96	4.57	0.181	0.5	0.188
		and	80.77	88.39	7.62	0.77	1.1	0.786
		includes	85.34	86.87	1.53	2.54	1.4	2.56
		and	112.78	117.35	4.57	0.144	1.6	0.167
SCR-082	Japoneses		15.24	22.86	7.62	0.176	9	0.305
		and	42.67	47.24	4.57	0.286	2.1	0.317
		and	56.39	59.44	3.05	1.243	4.2	1.303
		and	62.48	67.06	4.58	0.161	1.3	0.18
		and	73.15	77.72	4.57	0.262	1.4	0.283
		and	82.3	91.44	9.14	0.336	1	0.35
		and	114.3	117.35	3.05	0.839	1.7	0.863
SCR-083	Japoneses		18.29	19.81	1.52	0.915	5.3	0.991
		and	24.38	47.24	22.86	0.506	16.9	0.747
		includes	36.58	38.1	1.52	3.16	36.4	3.68
		and	50.29	54.86	4.57	0.151	1	0.165
		and	59.44	77.72	18.28	0.201	1.8	0.226
		and	80.77	83.82	3.05	0.291	0.5	0.298

Cerro Caliche Assay with 0.15 g/t Au Cutoff

Hole	Target		From	To	Interval	Au	Ag	AuEq
			(meters)		g/t	g/t	g/t	
SCR-084	Japoneses		64.01	79.25	15.24	0.51	13.6	0.704
		includes	65.53	67.06	1.53	2.93	33.6	3.41
		and	89.92	91.44	1.52	0.446	1.7	0.47
SCR-085	Japoneses		0	1.52	1.52	1.505	13.5	1.698
		and	13.72	22.86	9.14	0.257	2.4	0.291
		and	28.96	50.29	21.33	0.383	7.1	0.485
		and	54.86	64.01	9.15	0.616	1.8	0.643
		includes	59.44	60.96	1.52	2.18	1.3	2.199
SCR-086	Japoneses		38.1	39.62	1.52	0.466	0.5	0.473
		and	50.29	53.34	3.05	0.277	0.9	0.29
		and	57.91	60.96	3.05	0.209	0.4	0.215
SCR-087	Japoneses		45.72	50.29	4.57	0.258	1.2	0.275
		and	57.91	60.96	3.05	0.166	3	0.208
SCR-088	Japoneses		21.34	28.96	7.62	0.238	0.6	0.247
SCR-089	Chinos NW		0	22.86	22.86	0.566	7.1	0.657
		includes	7.62	10.67	3.05	1.822	13.1	2.01
		and	32	35.05	3.05	0.177	2.9	0.218
SCR-090	Chinos NW		4.57	13.72	9.15	0.427	7.5	0.534
		includes	16.76	27.43	10.67	0.248	2.3	0.281
		and	56.39	64.01	7.62	0.251	1.4	0.271
SCR-091	Japoneses		0	4.57	4.57	0.178	2.2	0.209
		includes	9.14	15.24	6.1	0.3	3.7	0.353
		and	54.86	57.91	3.05	0.16	4.3	0.222
SCR-092	Japoneses		3.05	6.1	3.05	0.274	2.4	0.307
		and	9.14	13.72	4.58	0.215	1.8	0.241
		and	27.43	30.48	3.05	0.23	0.7	0.24
		and	92.96	96.01	3.05	0.373	1.2	0.39
		and	109.73	112.78	3.05	0.192	1.4	0.212
		and	117.35	124.97	7.62	0.359	3.4	0.407
SCR-093	Japoneses		35.05	36.58	1.53	0.778	0.7	0.788
		and	53.34	54.86	1.52	4.83	0.25	4.834
		and	59.44	64.01	4.57	0.432	0.3	0.436
		and	96.01	97.54	1.53	0.436	0.5	0.443
SCR-094	Japoneses		50.29	60.96	10.67	0.307	1	0.321
		and	64.01	70.1	6.09	0.292	0.7	0.302
		and	73.15	77.72	4.57	0.141	0.4	0.146
		and	82.3	94.49	12.19	1.128	1.8	1.154
		includes	86.87	89.92	3.05	2.665	2.2	2.696
SCR-095	Japoneses		36.58	56.39	19.81	0.664	8.8	0.791
		includes	36.58	38.1	1.52	4.47	17.6	4.721